

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No.	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.
3. Generator's Name and Mailing Address Douglas Aircraft Company, C1-Q8C (11-11) Attn: Rob Tuell 3855 Lakewood Blvd. Long Beach, CA 90548		CIAD0865110005	10581		A. State Manifest Document Number 95710581
4. Generator's Phone (310) 496-6287 or (310) 593-3101					B. State Generator's ID HAHQ38008698
5. Transporter 1 Company Name Laidlaw Environmental Services of CA, Inc.		6. US EPA ID Number CIAD000083121			C. State Transporter's ID 617889
7. Transporter 2 Company Name		8. US EPA ID Number			D. Transporter's Phone (310) 518-4700
9. Designated Facility Name and Site Address DeMenno Kerdoon 2080 North Alameda Street Compton, CA 90222		10. US EPA ID Number CAT080013352			E. State Transporter's ID F. Transporter's Phone G. State Facility's ID H. Facility's Phone (310) 537-7100
11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)		12. Containers No. Type	13. Total Quantity	14. Unit Wt/Vol	1. Waste Number State 223 EPA/Other N/A
a. Machine Coolant, Water and oil Non-RCRA hazardous waste liquid		001 TT	39710	P	
b.					State EPA/Other
c. THIS WASTE STREAM HAS BEEN QUALIFIED FOR RECYCLING/TREATMENT AT THE DeMENNO/KERDOON FACILITY IN COMPTON, CALIFORNIA. THIS FACILITY HAS THE NECESSARY PERMITS TO RECEIVE YOUR WASTE STREAM AS QUALIFIED. OUR EPA NUMBER IS CAT080013352.					State EPA/Other
d.					State EPA/Other
J. Additional Descriptions for Materials Listed Above 11a.12a.38a. Water and oil from tank UT2, Drums in Bldg 45, Bldg 45 Sumps and Coolant Recovery System Sump		K. Handling Codes for Wastes Listed Above a. RO b. c. d.			
15. Special Handling Instructions and Additional Information 24 Hour emergency telephone number (800) 424-9300 (Chemtree). DOT ERG# 11a) 31 Site address: 19503 South Normandie Avenue, Torrance, CA 90502.					
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.					
Printed/Typed Name Robert G. Tuell, Jr.		Signature Robert G. Tuell, Jr.		Month Day Year 12/18/95	
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name JESSE K. PATRICK		Signature Jesse K. Patrick		Month Day Year 12/18/95	
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name		Signature		Month Day Year	
19. Discrepancy Indication Space 17 00					
20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19. Printed/Typed Name SHANE HARPER					
Signature Shane Harper		Month Day Year 12/18/95			

DO NOT WRITE BELOW THIS LINE.

Yellow: TSDf SENDS THIS COPY TO GENERATOR WITHIN 30 DAYS.
(Generators who submit hazardous waste for transport out-of-state, produce completed copy of this copy and send to DTSC within 30 days.)

**UNIFORM HAZARDOUS
WASTE MANIFEST**

1. Generator's US EPA ID No.

Manifest Document No.

2. Page 1

Information in the shaded areas
is not required by Federal law.

CAD086510005 105 8 1

of 1

3. Generator's Name and Mailing Address

Douglas Aircraft Company, C1-Q6C(11-11) Attn: Rob Tuell
3855 Lakewood Blvd. Long Beach, CA 90848

A. State Manifest Document Number

95710581

4. Generator's Phone ((310) 496- 6287 or (310) 593- 3101

B. State Generator's ID

HIAHQ399999998

5. Transporter 1 Company Name

6. US EPA ID Number

Laidlaw Environmental Services of CA, Inc. CAD000083121

C. State Transporter's ID

617289

7. Transporter 2 Company Name

8. US EPA ID Number

D. Transporter's Phone

(310) 518- 4700

9. Designated Facility Name and Site Address

DeMenna Kardon
2060 North Alameda Street
Compton, CA 90222

10. US EPA ID Number

CAT080013352

E. State Transporter's ID

F. Transporter's Phone

G. State Facility's ID

H. Facility's Phone

(310) 537-7100

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers
No. Type

13. Total
Quantity

14. Unit
Wt/Vol

I. Waste Number

a. Machine Coolant, Water and oil
Non-RCRA hazardous waste liquid

001 TT 39710 P

State 220

EPA/Other N/A

b.

State

EPA/Other

c.

State

EPA/Other

d.

State

EPA/Other

J. Additional Descriptions for Materials Listed Above

11a, 13a, 22a, Water and oil from tank UT2, Drums in
Bldg 45, Bldg 45 Sumps and Coolant Recovery
System Sump

K. Handling Codes for Wastes Listed Above

a.

b.

c.

d.

15. Special Handling Instructions and Additional Information

24 Hour emergency telephone number (800) 424- 9300 (Chemtrec). DOT ERG# 11a) 31
Site address: 19503 South Normandie Avenue, Torrance, CA 90502.

16. **GENERATOR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified,
packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be
economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future
threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best
waste management method that is available to me and that I can afford.

Printed/Typed Name

Signature

Robert G. Tuell, Jr.

Robert G. Tuell, Jr.

Month Day Year
12/18/95

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Jesse Kipatrion

Jesse Kipatrion

Month Day Year
12/18/95

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name

Signature

Month Day Year

DO NOT WRITE BELOW THIS LINE.

EPA ID NUMBER: CAD086510005

EPA ID NUMBER: CAD086510005

MANIFEST LINE ITEM:

11.a	11.b	11.c	11.d
------	------	------	------

NW	NW		
----	----	--	--

181	122		
-----	-----	--	--

101	1		
102	2		

* Only 3 applies for wastewaters; both apply for nonwastewaters.
 ** Romic's Arizona Facility (Romic Southwest) only handles these!
 *** Halogenated Organic Carbons as listed in Appendix III of 40 CFR 268.
 **** No Treatment Standards have been specified for D018-D043 Wastes yet.

I certify under penalty of law that I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste and that the lab pack(s) contain(s) only the wastes specified in Appendix IV (one of those excluded is D009) or solid wastes not subject to regulation under 40 CFR Part 261 OR only organic waste specified in Appendix V to Part 268 or solid wastes not subject to regulation under 40 CFR Part 261. I am aware that there are significant penalties for submitting a false certification, including the possibility of fine or imprisonment.

Signature: Robert B. Snell, Jr.

CALIFORNIA/RCRA

PLEASE CHECK ALL ITEMS BELOW THAT APPLY IN THE COLUMN BELOW EACH MANIFEST LINE ITEM:

APPLICATION PROHIBITIONS	TREATMENT STANDARDS	11.a	11.b	11.c	11.d
Solvent-Containing Liquid with > 1% by weight Total Organic Carbon (TOC).	Total Organic Constituent ≤ 100 and 36 Specific Organic Compounds ≤ their respective limits which range from 1.5 to 10 (Total Concentration in mg/kg MET Weight) OR Incineration				
Petroleum Waste generated from industries involved in exploration, production, transportation, refining, and/or marketing of crude oil and its by-products identified by SIC codes 1311, 1381, 1382, 1389, 2911, 4612, 4613, and/or 5171 with any organic compound detected by EPA Methods 8240, 8270, and/or 9071.	≤ 1.0% oil & grease by EPA Method 9071; ≤ 64 total ppm of 4 specified volatiles by EPA Method 8240; and ≤ 435 total ppm of 12 specified semi-volatile organics by EPA Method 8270 OR ≤ specified limits for 4 volatiles + 12 semi-volatiles as determined on a dry basis by EPA Methods 8240 and 8270 OR Incineration or Fuel Substitution with 99.99% DRE	RESERVED	RESERVED	RESERVED	RESERVED
Paint Sludge (generated from formulation, application and/or removal of paint) which can not be classified as Solvent-Containing Liquid, but which contains > 1% suspended solids and any of the metals identified in Section 66261.24(a)(2)(A) or any organic compound measured by EPA Methods 8240 or 8270.	Metals: 15 metals ≤ their STLC value: As ≤ 15 (STLC=5); Cu ≤ 230 (STLC=25); Pb ≤ 67 (STLC=5) Organics: ≤ 30 ppm volatile organics by EPA Method 8240 and ≤ 360 ppm semi-volatile organics by EPA Method 8270 OR Incineration or Fuel Substitution with 99.99% DRE	RESERVED	RESERVED	RESERVED	RESERVED
Nonspecific Solids with any organic compound measured by EPA Methods 8080, 8140, 8150, 8240, and/or 8270.	≤ 1% oil & grease by EPA Method 9071; ≤ 25 ppm volatile organics by EPA Method 8240; ≤ 435 ppm semi-volatile organics by EPA Method 8270; and solvent extraction, critical fluid extraction, or thermal separation for organics undetectable by Methods 8240 and 8270 OR incineration with 99.99% DRE				
Nonspecific Aqueous/Liquid (≤ 1% suspended solids) with any organic measured by EPA Methods 8080, 8140, 8150, 8240 and/or 8270.	Concentration of each individual organic compound measured by an approved EPA test method shall not exceed 0.5 mg/l.				
Foundry Sand	Cd ≤ 1; Cu ≤ 200; Pb ≤ 30; Ni ≤ 20; Zn ≤ 250 (mg/l extract) (Nonspecific Standards apply for other hazardous constituents or hazardous characteristics.)				
Fly Ash, Bottom Ash, Retort Ash or Baghouse Waste from Sources other than Foundries containing any metal or metal compounds in Section 66261.24(a)(2)(A)	As ≤ 15; Cd ≤ 1.0; Cu ≤ 40; Pb ≤ 20; Ni ≤ 20; Se ≤ 1.0; V ≤ 24; Zn ≤ 250 (mg/l extract) (Nonspecific Standards apply for other hazardous constituents or hazardous characteristics.)				
Nonspecific Metal-Containing Solids [Metals in Section 66261.24(a)(2)(A)]	15 metals ≤ their STLC value: As ≤ 15 (STLC = 5); Cu ≤ 230 (STLC = 25); Pb ≤ 67 (STLC = 5)				
Nonspecific Aqueous (≤ 1% suspended solids) with metals in Section 66261.24(a)(2)(A)	All 18 metals must be ≤ STLC value				
Non-RCRA not covered by the above excluding PCB-containing and auto shredder waste	No persistent or bioaccumulative substance > its STLC value				

Note: Specific Prohibition takes precedence over "Nonspecific" Prohibition

STLC = Soluble Threshold Limit Concentration

TREATMENT STANDARDS

- See 40 CFR 268.42(a) - DEACT
- See 40 CFR 268.42(a) - FSUBS; RORGs; or INCIN
- Constituent concentrations in the waste or treatment residue of the waste do not exceed the lowest value shown in Table CCW of 40 CFR 268.43(a) for any hazardous constituent listed in Table CCW for that waste.
- An extract of the waste or of the treatment residue of the waste developed using the test method (TCLP) in Appendix II of 40 CFR 261 does not exceed the lowest value shown in Table CCWE of 40 CFR 268.41(a) for any hazardous constituent listed in Table CCWE for that waste.
- Maximum Wastewater/Nonwastewater Constituent Concentrations in Waste Extract (CCWE) in mg/l:
Acetone - .05/.59; n-Butyl Alcohol - 5.0/5.0; Carbon Disulfide - 1.05/4.81; Carbon Tetrachloride - .05/.96;
Chlorobenzene - .15/.05; Cresols (and cresylic acid) - 2.82/.75; Cyclohexanone - .125/.75; 1,2-Dichlorobenzene - .65/.125;
Ethyl Acetate - .05/.75; Ethylbenzene - .05/.053; Ethyl ether - .05/.75; Isobutanol - 5.0/5.0; Methanol - .25/.75;
Methylene Chloride - .20*/.96; Methyl Ethyl Ketone - .05/.75; Methyl Isobutyl Ketone - .05/.33; Nitrobenzene - .66/.125;
Pyridine - 1.12/.33; Tetrachloroethylene - .079/.05; Toluene - 1.12/.33; 1,1,1-Trichloroethane - 1.05/.41;
1,1,2-Trichloro-1,2,2-Trifluoroethane - 1.05/.96; Trichloroethylene - .062/.091; Trichlorofluoromethane - .05/.96;
Xylene - .05/.15 * Standard is total concentration (CCW) of .44 mg/l if wastewater from the pharmaceutical industry.
Maximum Wastewater/Nonwastewater Constituent Concentrations in Waste (CCW) in mg/l/mg/kg:
1,1,2-Trichloroethane - .030/7.6; Benzene - .070/3.7
Wastewater/Nonwastewater Specified Technology Required by 40 CFR 268.42(a): 2-Ethoxyethanol - BIODG; or INCIN/INCIN;
2-Nitropropane - (WETOX OR CHOXD) fb CARBN; or INCIN/INCIN
- Wastewaters: See 40 CFR 268.42(a) - INCIN and additionally must meet 3 above.
Nonwastewaters: See 40 CFR 268.42(a) - INCIN and additionally must meet 3 and 4 above.
- See attachment for treatment standards for F039 Multi-Source Leachate
- Wastewaters: See 3 above.
Nonwastewaters: See 40 CFR 268.42(a) - INCIN
- Wastewaters: See 3 above.
Nonwastewaters: See 40 CFR 268.42(a) - FSUBS; or INCIN
- Wastewaters: See 40 CFR 268.42(a) - (WETOX or CHOXD) fb CARBN; or INCIN
Nonwastewaters: See 40 CFR 268.42(a) - FSUBS; or INCIN
- Wastewaters: See 40 CFR 268.42(a) - (WETOX or CHOXD) fb CARBN; or INCIN
Nonwastewaters: See 40 CFR 268.42(a) - INCIN
- See 40 CFR 268.42(c) - INCIN and additionally any incinerator residues from lab packs containing D004-D008, D010-D011 are to be treated in compliance with the applicable treatment standards specified for those wastes.
- Treatment is required so that the waste is not prohibited.
- See 40 CFR 268.42(a) - INCIN

APPLICABLE EXTENSIONS

- National Capacity Variance until 5/8/92 for D004-D011 Inorganic Solid Debris; D004 Nonwastewaters; D009 Low Mercury Nonwastewater; F039 Nonwastewater; and U003, U110, and U171 wastes which are contaminated soil and debris.
- California Capacity Variance until 5/8/92 for Non-RCRA treatment standards for Nonspecific Metal-Containing Solids, Nonspecific Aqueous/Liquid with Organics, and Nonspecific Solids with Organics.

Revised 9/26/91

WEIGHT TICKET

L A I D L A W

VENDOR: WILSON/12006

GROSS 74770

TRUCK #: 16050 - T16006

TARE 35060

DATE: 12-18-95

NET 39710

CONTENTS: Waste oil & water. Drums at yard - VT-2

DISPOSAL FACILITY: DE MENNO KERDOON

DRUM COUNT _____

DRIVER: _____

GALLONS _____

STATE MANIFEST DOCUMENT NUMBER: 95710581